

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 149 Alexanfra, Vignia 22313-1450 www.arbo.gov

APPLICATION NO. FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/033,516 12/24/2001 James A. Gravelle P0120 8647

08/04/2003

7590 Burkhart & Burkhart Patent Attorneys 940 Dakota Avenue Whitefish, MT 59937

EXAMINER FERGUSON, MICHAEL P

ART UNIT PAPER NUMBER

3679

DATE MAILED: 08/04/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

_		Application No.	Applicant(s)
Office Action Summary			h
		10/033,516 Examiner	GRAVELLE, JAMES A
			Art Unit
	The MAILING DATE of this communication	Michael P. Ferguson	th the correspondence address
Period fo	r Reply		
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR I MALING DATE OF THIS COMMUNICAT sisons of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communicat period for reply specified above is less than thirty (30) each period for reply is specified above, the maximum statutory period for reply is appelled above, the maximum statutory to be period for the period for the period for reply vite, but to reply with pure office later can for the period to period them adjustment. See 37 CFR 1.704(s).	ION. CFR 1.136(a). In no event, however, may a relion. s, a reply within the statutory minimum of thirt.	aply be timely filed  y (30) days will be considered timely. THS from the mailing date of this communication.
1)	Responsive to communication(s) filed o	n	
2a)⊠	• • • • • • • • • • • • • • • • • • • •	This action is non-final.	
3)□	·-	=	ters prosecution as to the marite in
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.			
	on of Claims		
	Claim(s) 1-20 is/are pending in the appli		
_	4a) Of the above claim(s) is/are wi	thdrawn from consideration.	
	Claim(s) is/are allowed.		
	Claim(s) 1-20 is/are rejected.		
	Claim(s) is/are objected to.		
	Claim(s) are subject to restriction on Papers	and/or election requirement.	
9)[	The specification is objected to by the Exa	aminer.	
10)🛛 .	The drawing(s) filed on <u>09 A<i>pril</i> 2002</u> is/aı	·- · ·- ·	•
	Applicant may not request that any objectio		• • • • • • • • • • • • • • • • • • • •
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.			
If approved, corrected drawings are required in reply to this Office action.			
	The oath or declaration is objected to by t	he Examiner.	
	inder 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).			
a)	☐ All b)☐ Some * c)☐ None of:		
	1. Certified copies of the priority docu		
	2. Certified copies of the priority docu		
* 5	<ol> <li>Copies of the certified copies of the application from the Internation see the attached detailed Office action for</li> </ol>	nal Bureau (PCT Rule 17.2(a)).	·
14) 🗆 A	cknowledgment is made of a claim for do	mestic priority under 35 U.S.C.	§ 119(e) (to a provisional application).
15) 🗌 /	) ☐ The translation of the foreign langua Acknowledgment is made of a claim for do	•	
Attachmen		_	
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-9 nation Disclosure Statement(s) (PTO-1449) Paper I	48) 5) Notice of I	Summary (PTO-413) Paper No(s)  nformal Patent Application (PTO-152)
.S. Patent and T	rademark Office		

Page 2

Application/Control Number: 10/033,516

Art Unit: 3679

### DETAILED ACTION

#### Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

### Claim Objections

2. Claim 8 is objected to because of the following informalities:

Claim 8 (line 10) recites "the third slot being generally perpendicular to the first and second slots, the third slot being generally perpendicular to the first and second slots; ". It should recite —the third slot being generally perpendicular to the first and second slots: —.

For the purpose of examining the application, it is assumed that appropriate correction has been made.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/033,516
Art Unit: 3679


 Claims 1, 2, 7-9, 14-16 and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Wilson (USPN 3,652,780).

As to claim 1, Wilson discloses a support bracket 10,11 for securing wire fence elements 42 to posts 12 having T-shaped cross-sections with a leg 15 and two cross-arms 13,14, the bracket having the following:

a first slot 22 adapted and constructed to receive a cross-arm of a fence post; a second slot 23 adapted and constructed to receive a cross-arm of the fence post; and

a third slot **A** (passage **A** between bracket arms **18,19** defining a slot; Figure **1** reprinted with annotations below) adapted and constructed to receive a leg of the fence post, the third slot being generally perpendicular to the first and second slots;

whereby the bracket can be mounted to the post in a first position in which the leg is received in the third slot, and a second position in which the leg extends opposite the third slot (Figure 1).



As to claim 2, Wilson discloses a support bracket 10,11 having the following:

Art Unit: 3679

a first tab 26 connected to a first slot 22; and

a second tab 27 connected to a second slot 23;

whereby the first and second tabs are adapted and constructed to facilitate opening of the slots for insertion and removal of cross-arms therefrom (Figures 3 and 5).

As to claim 7, Wilson discloses a support bracket 10,11 having a reinforcing rib 21 adjacent to a third slot (Figure 1).

As to claim 8, Wilson discloses a support bracket 10,11 for securing wire fence elements 42 to posts 12 having T-shaped cross-sections with a leg 15 and two cross-arms 13,14, the bracket having the following:

a first slot 22 adapted and constructed to receive a cross-arm of a fence post;

a second slot 23 adapted and constructed to receive a cross-arm of the fence

post, the second slot being generally aligned with the first slot; and

a third slot A (passage A between bracket arms 18,19 defining a slot) adapted and constructed to receive a leg of the fence post, the third slot being generally perpendicular to the first and second slots;

whereby the bracket can be mounted to the post in a first position in which the leg is received in the third slot, and a second position in which the leg extends opposite the third slot (Figure 1).

As to claim 9, Wilson discloses a support bracket 10,11 having the following: a first tab 26 connected to a first slot 22; and a second tab 27 connected to a second slot 23:

Art Unit: 3679

whereby the first and second tabs are adapted and constructed to facilitate opening of the slots for insertion and removal of cross-arms therefrom (Figures 3 and 5).

As to claim 14, Wilson discloses a support bracket 10,11 having a reinforcing rib 21 adjacent to a third slot (Figure 1).

As to claim 15, Wilson discloses a method for securing wire fence elements 42 to fence posts 12 having T-shaped cross-sections with a leg 15 and two cross-arms 13,14, the method comprising the following steps:

providing a first support bracket 10 having a first slot 22 adapted and constructed to receive a cross-arm of a fence post, a second slot 23 adapted and constructed to receive a cross-arm of the fence post, and a third slot A (the passage A between bracket arms 18,19 defining a slot) adapted and constructed to receive a leg of the fence post, the third slot being generally perpendicular to the first and second slots;

providing a second support bracket 11 having a first slot 22 adapted and constructed to receive a cross-arm of a fence post, a second slot 23 adapted and constructed to receive a cross-arm of the fence post, and a third slot A adapted and constructed to receive a leg of the fence post, the third slot being generally perpendicular to the first and second slots;

mounting the first bracket to a post in a first position in which the leg of the post is received in the third slot of the bracket; and

mounting the second bracket to a post in a second position in which the leg of the post extends opposite the third slot of the bracket (Figure 1).

Art Unit: 3679

As to claim 16, Wilson discloses a method comprising the following steps:

providing respective first tabs 26 connected to first slots 22 of brackets 10,11;

providing respective second tabs 27 connected to second slots 23 of the brackets; and

using the tabs for leverage to open the slots for insertion and removal of the fence post cross-arms therefrom (Figures 3 and 5).

As to claim 20, Wilson discloses a method wherein steps of providing a first and second bracket 10,11 comprise providing a reinforcing rib 21 adjacent to a third slot (Figure 1).

 Claims 1-5, 8-12 and 15-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Hansen (USPN 3,801,731).


As to claim 1, Hansen discloses a support bracket 10 for securing wire fence elements 12 to posts 14 having T-shaped cross-sections with a leg and two cross-arms, the bracket having the following:

a first slot 38 adapted and constructed to receive a cross-arm of a fence post; a second slot 42 adapted and constructed to receive a cross-arm of the fence post; and

a third slot **B** (passage **B** between bracket arms **36,40** defining a slot; Figure 2 reprinted with annotations below) adapted and constructed to receive a leg of the fence post (column 4 lines 11-14), the third slot being generally perpendicular to the first and second slots:

Art Unit: 3679

whereby the bracket can be mounted to the post in a first position in which the leg is received in the third slot, and a second position in which the leg extends opposite the third slot (Figures 1 and 2, column 4 lines 11-14).



As to claim 2, Hansen discloses a support bracket 10 having the following: a first tab 38 connected to a first slot: and

a second tab 42 connected to a second slot:

whereby the first and second tabs are adapted and constructed to facilitate opening of the slots for insertion and removal of cross-arms therefrom (Figure 2).

As to claim 3, Hansen discloses a support bracket 10 fabricated from an electrically insulative material (column 2 lines 33-40).

As to claim 4, Hansen discloses a support bracket 10 fabricated from a relatively flexible electrically insulative material (column 2 lines 33-40).

As to claim 5, Hansen discloses a support bracket 10 fabricated from a thermoplastic material (column 2 lines 33-40).

As to claim 8, Hansen discloses a support bracket 10 for securing wire fence elements 12 to posts 14 having T-shaped cross-sections with a leg and two cross-arms, the bracket having the following:

a first slot 38 adapted and constructed to receive a cross-arm of a fence post;

Art Unit: 3679

a second slot 42 adapted and constructed to receive a cross-arm of the fence post, the second slot being generally aligned with the first slot; and

a third slot **B** (passage **B** between bracket arms **36,40** defining a slot) adapted and constructed to receive a leg of the fence post (column 4 lines 11-14), the third slot being generally perpendicular to the first and second slots;

whereby the bracket can be mounted to the post in a first position in which the leg is received in the third slot, and a second position in which the leg extends opposite the third slot (Figures 1 and 2, column 4 lines 11-14).

As to claim 9, Hansen discloses a support bracket 10 having the following: a first tab 38 connected to a first slot: and

a second tab 42 connected to a second slot;

whereby the first and second tabs are adapted and constructed to facilitate opening of the slots for insertion and removal of cross-arms therefrom (Figure 2).

As to claim 10, Hansen discloses a support bracket 10 fabricated from an electrically insulative material (column 2 lines 33-40).

As to claim 11, Hansen discloses a support bracket 10 fabricated from a relatively flexible electrically insulative material (column 2 lines 33-40).

As to claim 12, Hansen discloses a support bracket 10 fabricated from a thermoplastic material (column 2 lines 33-40).

As to claim 15, Hansen discloses a method for securing wire fence elements 12 to fence posts 14 having T-shaped cross-sections with a leg and two cross-arms, the method comprising the following steps:

Art Unit: 3679

providing a first support bracket 10 having a first slot 38 adapted and constructed to receive a cross-arm of a fence post, a second slot 42 adapted and constructed to receive a cross-arm of the fence post, and a third slot B (passage B between bracket arms 36,40 defining a slot) adapted and constructed to receive a leg of the fence post (column 4 lines 11-14), the third slot being generally perpendicular to the first and second slots;

providing a second support bracket having a first slot adapted and constructed to receive a cross-arm of a fence post, a second slot adapted and constructed to receive a cross-arm of the fence post, and a third slot adapted and constructed to receive a leg of the fence post, the third slot being generally perpendicular the first and second slots (column 4 lines 11-14);

mounting the first bracket to a post in a first position in which the leg of the post is received in the third slot of the bracket; and

mounting the second bracket to a post in a second position in which the leg of the post extends opposite the third slot of the bracket (Figures 1 and 2, column 4 lines 11-14).

As to claim 16, Hansen discloses a method comprising the following steps: providing respective first tabs 36 connected to first slots 38 of brackets; providing respective second tabs 40 connected to second slots 42 of the brackets: and

using the tabs for leverage to open the slots for insertion and removal of the fence post cross-arms therefrom (Figure 2).

Art Unit: 3679

As to claim 17, Hansen discloses a method wherein steps of providing a first and second bracket 10 comprise fabricating the brackets from a relatively flexible electrically insulative material (column 2 lines 33-40).

As to claim 18, Hansen discloses a method wherein steps of providing a first and second bracket 10 comprise fabricating the brackets from thermoplastic material (column 2 lines 33-40).

## Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 6, 13 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen in view of Oltmanns (USPN 3.684,247).

As to claim 6, Hansen discloses a support bracket 10 fabricated from polyethylene instead of polypropylene (column 2 33-40).

Oltmanns teaches a support bracket fabricated from polypropylene, polyethylene, or other suitable dielectric material which is flexible over a relatively wide temperature range to permit utilization of the device in all types of climates (column 2 lines 37-55).

Inasmuch as the references disclose polyethylene and polypropylene as art recognized equivalents, it would have been obvious to one of ordinary skill in the exercise art to substitute one for the other. <u>In re Fout</u>, 675 F.2d 297, 301, 213 USPQ 532, 536 (CCPA 1982).

Art Unit: 3679

As to claim 13, Hansen discloses a support bracket 10 fabricated from polyethylene instead of polypropylene (column 2 33-40).

Oltmanns teaches a support bracket fabricated from polypropylene, polyethylene, or other suitable dielectric material which is flexible over a relatively wide temperature range to permit utilization of the device in all types of climates (column 2 lines 37-55).

Inasmuch as the references disclose polyethylene and polypropylene as art recognized equivalents, it would have been obvious to one of ordinary skill in the exercise art to substitute one for the other. <u>In re Fout</u>, 675 F.2d 297, 301, 213 USPQ 532, 536 (CCPA 1982).

As to claim 19, Hansen discloses a method wherein steps of providing a first and second bracket 10 comprise fabricating the brackets from polyethylene instead of polypropylene (column 2 33-40).

Oltmanns teaches a bracket fabricated from polypropylene, polyethylene, or other suitable dielectric material which is flexible over a relatively wide temperature range to permit utilization of the device in all types of climates (column 2 lines 37-55). Inasmuch as the references disclose polyethylene and polypropylene as art recognized equivalents, it would have been obvious to one of ordinary skill in the exercise art to substitute one for the other. In re Fout, 675 F.2d 297, 301, 213 USPQ 532, 536 (CCPA 1982).

### Response to Arguments

 Applicant's arguments filed July 3, 2003 have been fully considered but they are not persuasive.

Art Unit: 3679

As to claims 1, 8 and 15, the attorney argues that:

Wilson does not disclose a support bracket having a third slot.

Examiner does not agree. As to claims 1, 8 and 15, Wilson discloses a support bracket having a third slot A (the passage A between bracket arms 18,19 defining a slot; Figure 1).

As to claims 1, 8 and 15, the attorney argues that:

Hansen does not disclose a support bracket having a third slot in which a fence post leg is received in the third slot.

Examiner does not agree. As to claims 1, 8 and 15, Hansen discloses a support bracket having a third slot **B** (passage **B** between bracket arms **36,40** defining a slot) in which a fence post leg is received in the third slot (column 4 lines 11-14).

#### Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 3679

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Ferguson whose telephone number is (703)308-8591. The examiner can normally be reached on M-F (7:30-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H. Browne can be reached on (703)308-1159. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9326 for regular communications and (703)872-9327 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-

MPF July 28, 2003

1114.

ohn R. Cottingham